

The Model T801 NDIR CO₂ Analyzer



The Model T801 CO_2 analyzer measures Carbon Dioxide using state of the art NDIR sensing technology. This design produces an excellent rugged product designed for extractive CEM or RATA applications.

— Available with NumaView[™] premium T Series software —

- Large, vivid, and durable color touchscreen display
- All other T Series instrument platform features
- Lifetime technical support by phone and email
- Standard two-year warranty





Model T801 Specifications

| Ranges | 0 - 20% full scale range (user selectable, dual ranges supported) |
|-----------------------------|--|
| Zero Noise | < 0.02% (RMS) |
| Span Noise | < 0.1% of reading (RMS) |
| Lower Detectable Limit | < 0.04% ppm |
| Zero Drift | < ±.02 %/24 hours |
| | < ±05%/7 days |
| Span Drift | < ± 0.1 % / 7 days |
| Rise/Fall Time | < 60 seconds to 95% |
| Accuracy | < ±(1.5% of range + 2% of reading) |
| Temperature Coefficient | < ±% 0.01 per degree C |
| Power Requirements | 100V-120V, 220V-240V, 50/60 Hz |
| Humidity Range | 0-95 % RH |
| Pressure Range | 25-31 in Hg |
| Analog Output Ranges | 10V, 5V, 1V, 0.1V (selectable) |
| Recorder Offset | ±10% |
| ■ Included I/O | 1 x Ethernet: 10/100Base-T 2 x RS232 (300-115,200 baud) 2 x USB device ports 8 x opto-isolated digital outputs 6 x opto-isolated digital inputs 4 x analog outputs |
| Optional I/O | 1 x USB com port 1 x RS485 8 x analog inputs (0-10V, 12-bit) 4 x digital alarm outputs Multidrop RS232 2 x 4-20mA current outputs |
| Operating Temperature Range | 5 - 40°C |
| Dimensions (HxWxD) | 7" x 17" x 23.5" (178 x 432 x 597 mm) |
| ■ Weight | 28 lbs (12.7 kg) |

Specifications subject to change without notice. All specifications are based on constant conditions.

NumaView[™] software is available as a no-charge option that must be specified at the time of purchase.



9970 Carroll Canyon Road San Diego, CA 92131 Ph. 858-657-9800 Fax 858-657-9816 Email api-sales@teledyne.com For more information about the Teledyne API family of monitoring instrumentation products, call us or visit our website at:



© 2017 Teledyne API Printed documents are uncontrolled. SAL000065C (DCN 7435) 03.13.17

